


Document # 195

Apple Lisa Information



FILE NAME

Workshop LisaBug Images

DISK #

COMMENTS

David T. Craig
736 Edgewater, Wichita, Kansas 67230
(316) 733-0914



The *Lisa*
Professional



```

FINISH_R=00A60C1A XMT_TO_H=00A60CE2 INITIT =00A60DB4 CONTROLI=00A611A2
STARTIT =00A61870 RS_232 =00A619BE DRIVERMA=00A6294A SAVE_EVE=00A6297A
GRAB_EVE=00A629DE LOWPRI =00A62A3E START_NE=00A62B2C FINISH_R=00A62C1A
CINITIT =00A62C8C CCONTROL=00A62D84 CSEQIO =00A62E88 DRIVER =00A62F3C
DRIVERMA=00A636D4 ALTERED_=00A63704 START_NO=00A63818 NONIO_RE=00A6386E
NEW_REQ =00A639D0 DISK_INT=00A63A9C DRIVER =00A63BBE

```

```

>
>IL OSQUIT
OSQUIT+0000 4E56 FFFC OSQUIT LINK A6,#$FFFC
OSQUIT+0004 2A78 0200 MOVE.L $0200,A5
OSQUIT+0008 2A6D 9FDB MOVE.L $9FDB(A5),A5
OSQUIT+000C 4EBA 00B0 JSR *+$00B2 ; 002C00C6
OSQUIT+0010 11FC 0001 000F MOVE.B #$0001,$000F
OSQUIT+0016 21C0 000F MOVE.L D0,$000F
OSQUIT+001A 4E5E UNLK A6
OSQUIT+001C 4E75 RTS
OSQUIT+001E 4F53 5155 4954 2020 4E56 0000 48E7 FFFC OSQUIT..NV..H...
CLEARBPS+0000 4E56 0000 CLEARBPS LINK A6,#$0000
CLEARBPS+0004 48E7 FFFC MOVEM.L D0-D7/A0-A5,-(A7)
CLEARBPS+0008 40C0 MOVE SR,D0
CLEARBPS+000A 3E00 MOVE.W D0,D7
CLEARBPS+000C 0040 2000 ORI.W #$2000,D0
CLEARBPS+0010 41FA 0004 LEA *+$0006,A0 ; 002C0044
CLEARBPS+0014 4E47 TRAP #$7
CLEARBPS+0016 2F2E 0008 MOVE.L $0008(A6),-(A7)
CLEARBPS+001A 4EAD 06CC JSR $06CC(A5) ; 002E2820
CLEARBPS+001E 3007 MOVE.W D7,D0
CLEARBPS+0020 41FA 0004 LEA *+$0006,A0 ; 002C0054

```

```

>PR 4
is printer at serial port A? (Y/N) Y
>PS 0

```



```

>DM 28
00F80028      00F8 0018 002E 250A  0020 826C 0020 826C .....%.....l...l
>
>IL 00F80018
00F80018      23C8 00F8 0006          MOVE.L  A0,$00F80006
00F8001E      4A5F          TST.W   (A7)+
00F80020      205F          MOVE.L  (A7)+,A0
00F80022      6C04          BGE.S   *+$0006          ; 00F80028
00F80024      007C 8000          ORI.W   #$8000,SR
00F80028      027C DFFF          ANDI.W  #$DFFF,SR
00F8002C      3F10          MOVE.W  (A0),-(A7)
00F8002E      025F 0F00          ANDI.W  #$0F00,(A7)+
00F80032      660E          BNE.S   *+$0010          ; 00F80042
00F80034      4868 0004          PEA     $0004(A0)
00F80038      2F10          MOVE.L  (A0),-(A7)
00F8003A      2079 00F8 0006          MOVE.L  $00F80006,A0
00F80040      4E75          RTS
00F80042      2F18          MOVE.L  (A0)+,-(A7)
00F80044      0817 0003          BTST    #$0003,(A7)
00F80048      67F0          BEQ.S   *-$000E          ; 00F8003A
00F8004A      0817 0002          BTST    #$0002,(A7)
00F8004E      670C          BEQ.S   *+$000E          ; 00F8005C
00F80050      4217          CLR.B   (A7)
00F80052      2F08          MOVE.L  A0,-(A7)
>
>PR 4
is printer at serial port A? (Y/N) Y
>PS 0

```

```

FINISH_R=00A60C1A XMT_TO_H=00A60CE2 INITIT =00A60DB4 CONTROLI=00A611A2
STARTIT =00A61870 RS_232 =00A619BE DRIVERMA=00A6294A SAVE_EVE=00A6297A
GRAB_EVE=00A629DE LOWPRI =00A62A3E START_NE=00A62B2C FINISH_R=00A62C1A
CINITIT =00A62C8C CCONTROL=00A62D84 CSEQIO =00A62E88 DRIVER =00A62F3C
DRIVERMA=00A636D4 ALTERED_=00A63704 START_NO=00A63818 NONIO_RE=00A6386E
NEW_REQ =00A639D0 DISK_INT=00A63A9C DRIVER =00A63BBE
>PROCS

```

Ready Queue					
Id	Domain	Priority	BlkState	needMem	Program
Blocked Queue					
Id	Domain	Priority	BlkState	needMem	Program
1	0	230	pipe/EC	NM	
2	0	200	pipe/EC	NM	-#12-...-system.shell
7	0	120	suspend		-#12-...-EDITOR.OBJ
0	0	250	sem		
5	0	130	i_o		-#12-...-SHELL.WORKSHOP

Level 7 Interrupt

```

002E005A 4E75 PC RTS
PC=002E005A SR=2000 0 US=00F7C0A8 SS=00CBFFEC DO=0
D0=00CC2001 D1=00CC2000 D2=00000000 D3=00000001
D4=00000001 D5=00CC68EA D6=00F7C198 D7=00CC79EC
A0=00CC5A84 A1=00CBFFFA A2=00CC60C2 A3=00CC68D8
A4=00CC68D8 A5=00CC4408 A6=00CBFFFC A7=00CBFFEC

```

```

>
>PR 4
is printer at serial port A? (Y/N) Y
>PS 0
■

```